WIN* RM1,000!

Join our photo contest now!

*T&C Apply More info: suzuka.com.my/promotion

WALL FINISH PROFESSIONALS

TAIWAN • MALAYSIA • THAILAND



BRICK & STONE VENEER • TEXTURED PAINTS • KASTPANEL • ECES • TEXTURE COATING • PEBBLE STONE COATING

suzuka.com.my

suzuka.group | Hotline : +6012-3595 677

* Photos of the products shown in the brochure are based on the scale of 1:12
* May vary in color due to lighting condition and printing.
We suggest you examine actual product samples before ordering.

ST-E04-2006

SUZUKA®

Strato®

INTERIOR TEXTURED PAINT COLLECTION

WALL FINISH architects choice SINCE 1977 PROFESSIONALS

EDITION 04

Matte & Smooth FINISHING

Strato® CEMENT TEXTURE

Create everlasting look with Strato® Cement Texture. Whether you are going for the industrial, scandinavian, contemporary or minimalistic style, the backdrop of the cement texture can complete the look.

- **INTERIOR USE ONLY**
  For exterior options, please see **MONOKRETE.**

Features

- Crack Resistant
- Low VOC & Odor
- Formaldehyde & Lead Free
- Green Choice, Water Based & Eco-friendly
- Easy, Quick Application & DIY Friendly
- Anti-chalking & Efflorescence
- Applicable on Ceiling
- Easy Maintenance
- Easy to Touch Up
- Matte Finishing

Natural Grey
| **SCT-302**

Silver Grey | **SCT-301**

Natural Grey | **SCT-302**

Shark Grey | **SCT-303**

All color shown are as close to the actual SUZUKA® Strato® colors as modern printing techniques permit.
Color appearance/finishing may vary according to amount of coats, style of strokes applied and individual painting methods.

Silver Grey
| **SCT-301**

Granite Grey
| **SCT-304**

Shadow Grey
| **SCT-308**

Granite Grey | **SCT-304**

Iron Grey | **SCT-305**

Charcoal Grey | **SCT-306**

Metal Grey | **SCT-307**

Shadow Grey | **SCT-308**

All color shown are as close to the actual SUZUKA® Strato® colors as modern printing techniques permit.
Color appearance/finishing may vary according to amount of coats, style of strokes applied and individual painting methods.

Ashes Grey
| **SCT-309**

Ashes Grey | **SCT-309**

Misty Grey | **SCT-310**

PACKING DATA:

1L Primer	**1L** Texture Coat	**0.5L** Topcoat (SR-Top 1)

COVERAGE: 6–7 m² per set

APPLICATION TECHNIQUE

APPLICATION VIDEO

1 Primer

Roll 2 layers of Strato® Primer on the entire surface. Allow 30 minutes to dry between the layers.

Tool: Roller

(The primer can be diluted with maximum 5% of clean water)

2 Sanding

Sand the entire surface in circular motion to ensure the surface is smooth.

Tool: 600 Grit Sand Paper

3 Texture Coat

Scrape Strato® Cement Texture Coat randomly to create pattern. Ensure the whole surface area is covered. Then apply second layer.

Tool: Stainless Steel Trowel

(use a larger trowel for a larger pattern, a smaller trowel for smaller pattern)

4 Sanding (OPTIONAL)

Sand the entire surface in circular motion to enhance the pattern.

Tool: 600 Grit Sand Paper

5 Topcoat

Apply SR-Top 1 on entire surface using a dry sponge in circular motions.
IMPORTANT: Use a clean and dry sponge or cleaning cloth to wipe the excess topcoat before it dries to avoid the sponge marks.

Tool: Sponge / Cleaning Cloth

IMPORTANT: Color may vary on application technique & amount of material used.

Tools:

Trowel or Scrapper



Sand Paper (600 Grit)

Cleaning Cloth

Roller

Sponge

All color shown are as close to the actual SUZUKA® Strato® colors as modern printing techniques permit.
Color appearance/finishing may vary according to amount of coats, style of strokes applied and individual painting methods.

Matte & Smooth FINISHING

Strato®

VELOURS

Rich velvety layers of color to enhance the interior space. Each color brings out a different mood & ambience, find a color that matches your personality.

- **INTERIOR USE ONLY**
  For exterior options, please see **MONOKRETE.**

Features

- Crack Resistant
- Low VOC & Odor
- Formaldehyde & Lead Free
- Green Choice, Water Based & Eco-friendly
- Easy, Quick Application & DIY Friendly
- Anti-chalking & Efflorescence
- Applicable on Ceiling
- Easy Maintenance
- Easy to Touch Up
- Matte Finishing

Cloudy Grey | **SVL-401**



Mushroom Beige | **SVL-402**



Hazel Wood | **SVL-403**

Summer Sahara | **SVL-404**

Walnut Leather | **SVL-405**

Brocade Blue | **SVL-406**

All color shown are as close to the actual SUZUKA® Strato® colors as modern printing techniques permit.
Color appearance/finishing may vary according to amount of coats, style of strokes applied and individual painting methods.

Deep Marine
| **SVL-407**



Rosy Mauve
| **SVL-410**

Deep Marine | **SVL-407**

Royal Denim | **SVL-408**

Violet Memory | **SVL-409**

Rosy Mauve | **SVL-410**

Frosted Mint | **SVL-411**

Vivid Emerald | **SVL-412**

All color shown are as close to the actual SUZUKA® Strato® colors as modern printing techniques permit.
Color appearance/finishing may vary according to amount of coats, style of strokes applied and individual painting methods.

Hunter Green | **SVL-413**

Hunter Green | **SVL-413**

Herbal Garden | **SVL-414**

Lime Mist | **SVL-415**

Flamingo Blush | **SVL-416**

Frosted Mint | **SVL-411**

PACKING DATA:

1L Primer | **1L** Texture Coat | **0.5L** Topcoat (SR-Top 1)

COVERAGE: 6–7 m² per set

APPLICATION TECHNIQUE

APPLICATION VIDEO

1 Primer

Roll 2 layers of Strato® Primer on the entire surface. Allow 30 minutes to dry between the layers.

Tool: Roller

(The primer can be diluted with maximum 5% of clean water)

2 Sanding

Sand the entire surface in circular motion to ensure the surface is smooth.

Tool: 600 Grit Sand Paper

3 Texture Coat

Scrape Strato® Velours Texture Coat randomly to create pattern. Ensure the whole surface area is covered. Then apply second layer.

Tool: Stainless Steel Trowel

(use a larger trowel for a larger pattern, a smaller trowel for smaller pattern)

4 Sanding (OPTIONAL)

Sand the entire surface in circular motion to enhance the pattern.

Tool: 600 Grit Sand Paper

5 Topcoat

Apply SR-Top 1 on entire surface using a dry sponge in circular motions. **IMPORTANT:** Use a clean and dry sponge or cleaning cloth to wipe the excess topcoat before it dries to avoid the sponge marks.

Tool: Sponge / Cleaning Cloth

IMPORTANT: Color may vary on application technique & amount of material used.

Tools:

Trowel or Scrapper



Sand Paper (600 Grit)

Roller



Cleaning Cloth

Sponge

All color shown are as close to the actual SUZUKA® Strato® colors as modern printing techniques permit.
Color appearance/finishing may vary according to amount of coats, style of strokes applied and individual painting methods.

Sandy & Slight Metallic
FINISHING

Strato® cashmere

Strato® Cashmere embodies the pinnacle of elegance in textured coating. Achieved through smooth layering and delicate craftsmanship, the finished product gives a refined and royal appearance with a lingering hint of sophistication.

Features

- Low VOC & Odor
- Formaldehyde & Lead Free
- Green Choice, Water Based & Eco-friendly
- Easy, Quick Application & DIY Friendly
- Easy Maintenance

• **INTERIOR ONLY**

Silver Slate
| **SCH-003**

Sandcastle Beige
| **SCH-006**

Pearl White | **SCH-001**

Silver Mist | **SCH-002**

Silver Slate | **SCH-003**



Platinum Metal | **SCH-004**

Bronze Age | **SCH-005**



Sand Castle Beige | **SCH-006**

All color shown are as close to the actual SUZUKA® Strato® colors as modern printing techniques permit.
Color appearance/finishing may vary according to amount of coats, style of strokes applied and individual painting methods.



Eggshell Beige
| **SCH-008**

Autumn Beige | **SCH-007**

Eggshell Beige | **SCH-008**

Desert Gold | **SCH-009**

Honey Yellow | **SCH-010**

Peach Blossom | **SCH-011**



Plum Sunset | **SCH-012**

Powder Blue
| **SCH-015**

Baby Doll Pink | **SCH-013**



Coral Blush | **SCH-014**

Powder Blue | **SCH-015**

All color shown are as close to the actual SUZUKA® Strato® colors as modern printing techniques permit.
Color appearance/finishing may vary according to amount of coats, style of strokes applied and individual painting methods.

Ash Grey | **SCH-018**

Stardust Silver | **SCH-016**

Lace Blue | **SCH-017**

Ash Grey | **SCH-018**



Peacock Blue | **SCH-019**



Olive Tree | **SCH-020**



Tropical Green | **SCH-021**

PACKING DATA:

1L Primer | **1L** Texture Coat | **1L** Topcoat (SR-Top 3)

COVERAGE: 6 – 7 m^2 per set

APPLICATION TECHNIQUE

APPLICATION VIDEO

1 Primer

Roll 2 layers of Strato® Primer on the entire surface. Allow 30 minutes to dry between the layers.

Tool: Roller

(The primer can be diluted with maximum 5% of clean water)

2 Texture Coat

Brush on Strato® Cashmere Texture Coat in criss cross patterns. Apply 1–2 layers. Ensure the whole surface area is covered.

Tool: Brush

3 Flatten

Flatten the entire surface in circular motion to enhance the pattern.

Tool: Plastic Spatula

4 Topcoat

Evenly roll SR-Top 3 on entire surface. Allow to dry for 1 hour.

Tool: Roller

Tools:

Roller | Plastic Spatula | Brush

All color shown are as close to the actual SUZUKA® Strato® colors as modern printing techniques permit.
Color appearance/finishing may vary according to amount of coats, style of strokes applied and individual painting methods.

Smooth & Shimmering
FINISHING

Strato®

taffeta

A vibrant color layered in texture and dusted with a shimmering pearl effect crafts a bold and radiant feel onto the wall.

• **INTERIOR ONLY**

Features

- Low VOC & Odor
- Formaldehyde & Lead Free
- Green Choice, Water Based & Eco-friendly
- Easy, Quick Application & DIY Friendly
- Easy Maintenance

Oyster Beige
| **SRT-219**

Light Steel Blue
| **SRT-203**

Pewter Grey | **SRT-201**

Light Steel Blue | **SRT-203**

Light Sepia | **SRT-209**

Light Sapphire | **SRT-214**

Oyster Beige | **SRT-219**



Blue Waves | **SRT-225**

All color shown are as close to the actual SUZUKA® Strato® colors as modern printing techniques permit.
Color appearance/finishing may vary according to amount of coats, style of strokes applied and individual painting methods.

Pale Lavender | **SRT-232**



Malted Mocha | **SRT-231**

Pale Lavender | **SRT-232**

Ocean Surface | **SRT-233**

PACKING DATA:

1L Primer	**1L** Texture Coat	**0.5L** Topcoat (SR-Top 2)

COVERAGE: 4.5 m² per set

APPLICATION TECHNIQUE

APPLICATION VIDEO

1 Primer

Roll 2 layers of Strato® Primer on the entire surface. Allow 30 minutes to dry between the layers.

Tool: Roller

(The primer can be diluted with maximum 5% of clean water)

2 Sanding (OPTIONAL)

Sand the entire surface in circular motion to ensure the surface is smooth.

Tool: 600 Grit Sand Paper

3 Texture Coat

Scrape Strato® Taffeta Texture Coat in a random criss cross pattern. 2–3 layers. Every layer requires 30 minutes to dry.

Tool: Steel Spatula

4 Sanding

Sand the entire surface in circular motion to enhance the pattern

Tool: 600 Grit Sand Paper

5 Topcoat

Scrape on Strato® Topcoat SR-Top 2 in a random criss cross overlapping patterns. Allow 1 hour to dry

Tool: Steel Spatula

Taffeta has a **shimmering** pearl effect topcoat.
For a **matte** finishing, please request **SR-Top 1**.

Tools:

Roller

Steel Spatula



Sand Paper (600 Grit)

All color shown are as close to the actual SUZUKA® Strato® colors as modern printing techniques permit.
Color appearance/finishing may vary according to amount of coats, style of strokes applied and individual painting methods.