

# KASTONE® EDGEE STONE VENEER COLLECTION







### WALL FINISH PROFESSIONALS



suzuka.com.my

f O d suzuka.group | Hotline : +6012-258 7388

Photos of the products shown in this catalogue may vary in color due to lighting condition & printing. We suggest you examine actual product samples before ordering.



KASTONE EDGE-E1-2506

F









# KASTONE®

Kastone Edge is a unique and versatile addition to any home decor. These stones are carefully crafted into geometric shapes, and can be used in a variety of ways to add a touch of modern sophistication and elegance to any space, interior or exterior.

In addition to their aesthetic value, geometric stones are also highly durable and low-maintenance. Made from high-quality materials, these stones are resistant to wear and tear.


# KASTONE<sup>®</sup>


		_	
1	EG-101	5	EG-301
2	EG-102	6	EG-302
3	EG-201	7	EG-401
4	EG-202	8	EG-402
		9	EG-403

( 9

1








EG-101




EG-102



\*Please allow a +/- 5% tolerance for stone size and colour.






EG-202

 Coverage (Per box)
 Weight (Per box)
 Pieces (Per box)

 9.2 - 9.7 sqf
 27 kg
 80 pcs

\*Please allow a +/- 5% tolerance for stone size and colour.






EG-301



EG-302



\*Please allow a +/- 5% tolerance for stone size and colour.



1	1	1	
and the second second			
the state of the s			4
a section of the manual section			and the second
and have been a	and the second second		
		1. 1. 1. 1. 1. P.	and the second second
		10 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -	
a participation of the second			
		175. 57 1958 . ARA	
Statement in the second statement in the second statement is set of the second statement is			
the second se	-		
		The second	and the second second
- marine the second	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1		
			and the second second
T C SARDE STORE STORE		1 2	and the second second second
a set to be a set of		Star Starts	the second second second
And the second sec			And in case of the local division of the loc
the subscription of the su			a se prise


#### EG-401

	ant in the	and a press	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	galanda an
	and the second second	$= -p + r + \eta + - r$	- Northern	Station State
2 1 20 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2	1 Carton Carto	A 6 14 24 24	233857
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	2.77.77.7 1	Come Service In-	e Share attended	19/11 (2005
Contractor in the second second	11 - NA - 14	97 - Jan	ter ter ser ser ser	Q1- 12
and the second of the	177	12	State and the second	Caller Har Sec
and the second	19 2 -13.	and the second	a new and	1 200 -
Press and the second			and a part of the second	
and the second second second	Service and the service		5 (9) (4) (52) (53)	deficiente a
1 - 2 - 4		the second second	and the second	1. 1. 1. 1.
and a second second	4.75	Au	1991	The Mark
SARA BARRADA	+			erer ~
and the second second	1	V -1 5. 1	- 1 1 - 4 3 A	and the second
				ana ana ana an
	-		Contraction of	1999 - 1 Mar
and the second	- 1	1.	10 - 114 - 114	
			and the state of t	
		word separate for a series		
		and the second		
	1			
the to the state		ALC: NO.		
				1 -77
	1		T	
s - the least some hard	a street station	1. 1. States		
a la character de la compañía	agen and a		The French	all dear
a de la constance de la consta	1 10 4000	× 1.4 × 2.5 ×	and and	1999

#### EG-402

	The stand of the second states of the	100 100
Service Carton and the	The support of the sector of the sector	10.000
and the second second second	2	prinki, th
	and the second second second second second	Carrow Sala
the second second second	and the second	2/4 24
Carlos Carlos Carlos	The second se	Ar. 43.17
and the second start	the present contraction of the	1
The second second	and the second	A stande
the second second	Visition and a second second second second second	
and a second second	and the second states of the	
10 C C C C C C C C C C C C C C C C C C C		-
		-
22-51 74 - 10 - 20-20 - 0		281.15
1		
100 - 100 - 100 - 100 - 100		11.64 11.64
	The second second second second second	and the
CONTRACT OF CONTRACTOR	a state the second state of the second state of the	1549.000
11 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	and the second second second second	1
- 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17	and the second of the second o	
Marriell - I - The M	The second s	4 11 4
	a construction of the second	1 - 10 - 20 - 4.
e vojske gan de li ek	te ser a segur an entre ser te li se	17611-085
The dealer whether	and the second s	and the second
and set a set of the set	and the second	
CONTRACTOR CONTRACT U-	The second second second second	And the second second
warmen the second second	to an a second state of the second	10-11
	and and a set of the second of the set	Time .
The second second	In the second second second second	







Hack uniformly across the wall (using a small axe, drill, or hammer) to create a rough and pitted texture on the surface. Clean the surface to ensure it is free from dirt and dust.



Apply a generous layer of mortar across the wall using the notched edge of a trowel, creating a "combed" surface pattern.



Once the stones are firmly affixed, clean the surface with a dry brush to clear the stones of any dust

## **EDGE** PACKING DATA

		0		
EG-10	EG-20	EG-30	EG-40	3
L20 x W20 x H2.3	L30 x W5,W2.5 x H2.3	L40 x W8,W4 x H2.3	L29 x W8.5 x H2.3	KASI
7.2 - 7.7	9.2 - 9.7	8.8 - 9.3	7.6 - 8.0	and and a
27	27	29	24	IF .
18	80	36	30	15
40	24	24	36	1
1.12	1.34	1.28	1.08	
	L20 x W20 x H2.3 7.2 - 7.7 27 18 40	L20 x W20 x H2.3         L30 x W5,W2.5 x H2.3           7.2 - 7.7         9.2 - 9.7           27         27           18         80           40         24	L20 x W20 x H2.3         L30 x W5,W2.5 x H2.3         L40 x W8,W4 x H2.3           7.2 - 7.7         9.2 - 9.7         8.8 - 9.3           27         27         29           18         80         36           40         24         24	L20 x W20 x H2.3         L30 x W5,W2.5 x H2.3         L40 x W8,W4 x H2.3         L29 x W8.5 x H2.3           7.2 - 7.7         9.2 - 9.7         8.8 - 9.3         7.6 - 8.0           27         27         29         24           18         80         36         30           40         24         24         36

\*Please allow a +/- 5% tolerance for stone size and colour.

\*May vary in colour due to lighting conditions and printing. We suggest you examine product samples before ordering.



## **INSTALLATION** TECHNIQUE



Tools: Axe/Drill, Trowel, Brush, Leveler, Sponge.



• Complete this step starting from the bottom of the wall & moving upwards: Apply a thick layer of mortar onto the back side of stone. Press and hold the stone firmly onto the mortared wall surface for a few seconds. Repeat this until the section is completed with stones. Use spacers and leveler if necessary to ensure a level arrangement.



It is recommended to apply a topcoat layer of either SUZUKA® High Gloss or SUZUKA® Natural Stone Care. This helps enhance the protection of SUZUKA® Stone Veneer against dirt, oil, grease, water stains, fungus, mold and weather conditions.

